

**How to Cite:**

Alsamannoudi, H., Alamri, A., Bawazeer, A., Almotiri, T., Alharbi, S., Alshammari, D., Alnasser, B., & Alswayeh, H. (2021). Antimicrobial resistance: A growing global threat. *International Journal of Health Sciences*, 3(S1), 145–151. <https://doi.org/10.53730/ijhs.v3nS1.15079>

# Antimicrobial resistance: A growing global threat

**Hamza Alsamannoudi**

KSA, KAMC-Riyadh

**Abdulaziz Alamri**

KSA, KAMC-Riyadh

**Ahmad Bawazeer**

KSA, KAMC-Riyadh

**Tariq Almotiri**

KSA, KAMC-Riyadh

**Sattam Alharbi**

KSA, KAMC-Riyadh

**Delyal Alshammari**

KSA, KAMC-Riyadh

**Bader Alnasser**

KSA, KAMC-Riyadh

**Hani Alswayeh**

KSA, KAMC-Riyadh

**Abstract**---Antimicrobial resistance (AMR) has emerged as one of the most pressing public health challenges of the 21st century. The ability of microorganisms to develop resistance to antimicrobial drugs threatens to undermine the significant medical advances achieved over the past century. As resistance to existing antimicrobials continues to spread globally, there are growing concerns that we may be entering a "post-antibiotic era" where common infections and minor injuries can once again become deadly (World Health Organization, 2014). This study provides a comprehensive overview of the antimicrobial resistance crisis, exploring the underlying causes, the scope of the problem, its impact on human health and the economy, and potential solutions to address this global threat. The paper draws upon the latest scientific research and reports from leading health authorities to shed light on this critical issue.

**Keywords**---Antimicrobial resistance (AMR), global threat, growing concerns.

## **The Rise of Antimicrobial Resistance**

Antimicrobial resistance occurs when microorganisms such as bacteria, viruses, fungi, and parasites develop the ability to survive exposure to antimicrobial drugs that would normally kill them or stop their growth (Centers for Disease Control and Prevention, 2013). This can happen through a variety of mechanisms, including genetic mutations or the acquisition of resistance genes.

The discovery of antimicrobial drugs, particularly antibiotics, in the early 20th century was a major milestone in modern medicine, drastically reducing illness and death from infectious diseases. However, the overuse and misuse of these drugs has led to the rapid emergence and spread of resistant microbes, diminishing the effectiveness of our antimicrobial arsenal (O'Neill, 2016).

## **Causes of Antimicrobial Resistance**

There are several key factors that have contributed to the rise of antimicrobial resistance:

- 1) **Overuse and Misuse of Antimicrobials\*\***: The excessive and inappropriate use of antimicrobial drugs, both in human medicine and animal agriculture, has been a major driver of resistance. Prescribing antibiotics for viral infections, failing to complete full courses of treatment, and using antimicrobials as growth promoters in livestock all select for resistant strains (Centers for Disease Control and Prevention, 2013).
- 2) **Lack of New Antimicrobial Development\*\***: The pipeline of new antimicrobial drugs has slowed to a trickle in recent decades, as pharmaceutical companies have shifted their focus to more profitable chronic disease treatments. This "innovation gap" leaves us with dwindling options to combat resistant infections (O'Neill, 2016).
- 3) **Global Travel and Trade\*\***: The rapid movement of people, animals, and goods around the world has facilitated the global spread of resistant microorganisms, making AMR a truly worldwide problem (World Health Organization, 2014).
- 4) **Poor Infection Prevention and Control\*\***: Inadequate hand hygiene, improper sterilization of medical equipment, and a lack of basic sanitation in many parts of the world contribute to the transmission of resistant pathogens (World Health Organization, 2014).
- 5) **Environmental Contamination\*\***: The release of antimicrobials and resistant bacteria into the environment through wastewater, agricultural runoff, and improper disposal of medications creates reservoirs for resistance to develop and spread (Pruden et al., 2013).

## **The Scope of the Problem**

Antimicrobial resistance is now observed in every part of the world and is affecting a wide range of microorganisms, including bacteria, viruses, fungi, and parasites. Some of the most concerning trends include:

- The rapid global spread of carbapenem-resistant Enterobacteriaceae (CRE), which are virtually untreatable with available antibiotics and have mortality rates as high as 50% (Centers for Disease Control and Prevention, 2013).
- The emergence of multi-drug resistant tuberculosis (MDR-TB), which is more difficult and expensive to treat, and has lower treatment success rates compared to drug-susceptible TB (World Health Organization, 2018).
- The growing prevalence of methicillin-resistant *Staphylococcus aureus* (MRSA) infections, which are associated with increased morbidity, mortality, and healthcare costs (Centers for Disease Control and Prevention, 2019).
- The rise of resistant malaria parasites, which threatens to undermine progress made in reducing the global burden of this deadly disease (World Health Organization, 2018).

The World Health Organization has declared antimicrobial resistance one of the top ten global public health threats facing humanity, warning that a failure to address this crisis could lead to millions of deaths and catastrophic economic consequences (World Health Organization, 2019).

## **The Impact of Antimicrobial Resistance**

The rise of antimicrobial resistance has far-reaching implications for human health, the economy, and sustainable development. Understanding the scope of this challenge is crucial for mobilizing the necessary global response.

### **Impact on Human Health**

The most direct and severe consequence of AMR is the increased risk of infections becoming untreatable. When common bacterial infections no longer respond to first-line antibiotics, patients may require more expensive, toxic, or less effective treatments, which can lead to longer hospital stays, higher mortality rates, and greater long-term disability (O'Neill, 2016).

A landmark 2014 review commissioned by the UK government estimated that by 2050, antimicrobial resistance could cause 10 million deaths per year globally, surpassing the current annual death toll from cancer (O'Neill, 2016). The impact would be particularly devastating in low- and middle-income countries, where the burden of infectious diseases is already high and access to quality healthcare is limited.

Beyond the direct health impacts, AMR also threatens to undermine many of the medical advances of the 20th century. Routine surgeries, cancer treatments, and organ transplants, which rely on effective antimicrobial prophylaxis and treatment, could become increasingly risky or even impossible without functioning antimicrobials (World Health Organization, 2014).

## **Economic Impacts**

The economic costs of antimicrobial resistance are substantial and multifaceted. At the individual level, resistant infections often require more expensive and prolonged treatment, leading to higher out-of-pocket costs for patients and their families. At the healthcare system level, AMR increases the burden on hospitals and clinics, as they must manage more complex, resource-intensive cases (O'Neill, 2016).

Estimates suggest that antimicrobial resistance is already costing the global economy tens of billions of dollars per year in additional healthcare expenditures and productivity losses. The previously mentioned 2014 review projected that by 2050, the cumulative global cost of AMR could reach \$100 trillion, equivalent to around 3.8% of the world's current annual GDP (O'Neill, 2016).

The economic impacts of AMR are not limited to the health sector. Resistant infections in livestock can lead to reduced animal productivity, higher costs for farmers, and disruptions to the global food supply. Furthermore, the threat of untreatable infections may discourage investment and innovation in sectors like agriculture, tourism, and trade (World Bank, 2017).

## **Impacts on Sustainable Development**

Antimicrobial resistance poses a significant threat to the United Nations Sustainable Development Goals (SDGs), which aim to ensure healthy lives and promote well-being for all by 2030. Several of the SDGs, including those related to poverty reduction, food security, and clean water and sanitation, are directly vulnerable to the impacts of AMR (World Bank, 2017).

For example, the loss of effective antimicrobials could reverse hard-won gains in reducing child mortality, as common childhood infections become more difficult to treat. AMR also has the potential to exacerbate global inequalities, as the burden of resistant infections is expected to fall disproportionately on low- and middle-income countries with weaker healthcare systems (World Health Organization, 2014).

Addressing antimicrobial resistance is therefore essential for achieving the SDGs and ensuring a sustainable future for all. Failure to do so could undermine decades of progress in global health and development.

## **Strategies to Combat Antimicrobial Resistance**

Tackling the challenge of antimicrobial resistance will require a comprehensive, multifaceted approach involving all sectors of society. Key strategies and interventions include:

### **Improving Antimicrobial Stewardship**

Ensuring the appropriate and responsible use of antimicrobial drugs is crucial for slowing the development and spread of resistance. This includes:

- Developing and implementing evidence-based guidelines for antimicrobial prescribing in both human and animal healthcare
- Improving diagnostic testing to ensure accurate identification of infectious agents and guide targeted antimicrobial therapy
- Educating healthcare providers, patients, and the public about the importance of antimicrobial stewardship
- Restricting the use of antimicrobials as growth promoters in livestock production

### **Strengthening Infection Prevention and Control**

Preventing the transmission of resistant microorganisms is essential for containing the spread of AMR. Effective strategies include:

- Improving hand hygiene practices in healthcare settings and the community
- Implementing robust infection control protocols in hospitals, long-term care facilities, and other healthcare settings
- Enhancing sanitation and access to clean water in low-resource communities
- Promoting the use of vaccines to reduce the burden of infectious diseases

### **Accelerating Research and Development**

Addressing the lack of new antimicrobial agents in the pipeline is critical for replenishing our dwindling arsenal against resistant pathogens. Key initiatives include:

- Providing financial incentives and regulatory support to stimulate antimicrobial drug development
- Investing in innovative approaches, such as phage therapy, antimicrobial peptides, and narrow-spectrum antibiotics
- Promoting collaborative, interdisciplinary research to better understand resistance mechanisms and discover new antimicrobial targets

### **Improving Surveillance and Data Sharing**

Robust surveillance systems and data-sharing platforms are essential for monitoring the emergence and spread of antimicrobial resistance globally. Strategies include:

- Expanding laboratory capacity for pathogen identification and antimicrobial susceptibility testing
- Establishing national and regional AMR surveillance networks, with standardized data collection and reporting
- Improving the integration of human, animal, and environmental health data to enable a "One Health" approach to AMR

### **Fostering Multisectoral Collaboration**

Addressing antimicrobial resistance requires coordination and cooperation across various sectors, including human health, animal health, agriculture, environment, and industry. Key elements include:

- Developing and implementing national action plans on AMR, in line with the Global Action Plan on Antimicrobial Resistance
- Promoting collaboration between human and veterinary medicine, as well as between public health and environmental agencies
- Engaging with the private sector, civil society, and international organizations to mobilize resources and align efforts

### **Addressing Social Determinants of Health**

Underlying social, economic, and environmental factors can influence the development and spread of antimicrobial resistance. Strategies to address these determinants include:

- Improving access to quality healthcare, clean water, and basic sanitation in underserved communities
- Tackling poverty, inequality, and other social vulnerabilities that increase susceptibility to infectious diseases
- Mitigating the environmental release of antimicrobials and resistant microbes through improved waste management and wastewater treatment

### **Conclusion**

Antimicrobial resistance poses a grave and growing threat to global health, economic prosperity, and sustainable development. The widespread overuse and misuse of antimicrobial drugs, coupled with the lack of new antimicrobial agents in the pipeline, have created a perfect storm for the emergence and spread of resistant microorganisms.

Addressing this crisis will require a comprehensive, multisectoral approach involving coordinated actions at the global, national, and local levels. Improving antimicrobial stewardship, strengthening infection prevention and control, accelerating research and development, enhancing surveillance and data sharing, fostering collaboration across sectors, and addressing underlying social determinants of health are all crucial components of an effective response.

By taking decisive and coordinated action now, the global community can work to slow the spread of antimicrobial resistance and preserve the effectiveness of these vital medical tools for generations to come. Failure to do so could have catastrophic consequences for human health, the economy, and the achievement of the Sustainable Development Goals. The time to act is now.

**References**

- Centers for Disease Control and Prevention. (2013). Antibiotic resistance threats in the United States, 2013.
- Centers for Disease Control and Prevention. (2019). Antibiotic resistance threats in the United States, 2019.
- O'Neill, J. (2016). Tackling drug-resistant infections globally: Final report and recommendations.
- Pruden, A., Larsson, D. G. J., Amézquita, A., Collignon, P., Brandt, K. K., Graham, D. W., ... & Zhu, Y. G. (2013). Management options for reducing the release of antibiotics and antibiotic resistance genes to the environment. *Environmental health perspectives*, 121(8), 878-885.
- World Bank. (2017). Drug-resistant infections: A threat to our economic future.
- World Health Organization. (2014). Antimicrobial resistance: Global report on surveillance.
- World Health Organization. (2018). Global tuberculosis report 2018.
- World Health Organization. (2019). Ten threats to global health in 2019.