

**How to Cite:**

Kumar, S., Kiran, S., & Mishra, N. (2022). Face mask detection using OpenCV. *International Journal of Health Sciences*, 6(S2), 5282–5288. <https://doi.org/10.53730/ijhs.v6nS2.6331>

## Face mask detection using OpenCV

**Subodh Kumar**

School of computer science&engineering Galgotias University, Greater Noida, India

Corresponding author email: [rajsubodhku@gmail.com](mailto:rajsubodhku@gmail.com)

**Shristi Kiran**

School of computer science&engineering Galgotias University, Greater Noida, India

Email: [Shristikiran41@gmail.com](mailto:Shristikiran41@gmail.com)

**Dr. Nitin Mishra**

Professor School of computer science&engineering Galgotias University, Greater Noida, India

Email: [Drnitinmishra10@gmail.com](mailto:Drnitinmishra10@gmail.com)

**Abstract**---This paper proposes a Face Mask Detection Using OpenCV. This pandemic is causing an overall crisis in medical services. This infection especially spreads through beads which rise out of somebody contaminated with Covid and represents a danger to other people. The danger of transference is most elevated in gathering. one of the agreeable lifestyle choices protected from getting kindled is conveying a facial covering in open domains as proposed by world health association on this pandemic. We will fabricate a continuous framework to distinguish regardless of whether the individual on the webcam is wearing a mask. we will prepare the facial covering finder model utilizing keras and openCv. A boundary container drawn over the face of the individual portrays weather the man or lady is conveying a mask or not. Assuming an individual's face is saved inside the data set, it distinguishes the name of the individual that isn't conveying facial coverings and an email may be shipped off that singular wariness them that they are not wearing a veils as a method for avoiding potential risk.

**Keywords**---python, dataset, coronavirus, open source computer, vision library, masks.

## Introduction

The pandemic hugely affected human lives. The Covid-19 outcome in the absence of 10 millions and harmed the existences of billions of humans. Its adverse outcome transformed into felt by nearly all business foundations for instance like schooling system, religion, tourism employment, amusement, and different industries face the misfortunes because of this pandemic. As indicated by World Health Organization, 56.5 million individuals get tainted with infection and 1.44 million individuals misfortune their

life in 2020 on account of the infection came in 2019. From the extremely essential cleanliness prerequisites to the medicines in the clinics, individuals are doing everything they could for their own and the general public's assurance; facial coverings are one of the private protecting contraption. people put on facial coverings once they venture out in their homes and authorities stringently guarantee that individuals are conveying facial covering even as they might be in organizations and public places After the one individual get contaminated, it nearly requires fourteen days to the infection to fill in the human and influence them and inside the stretch, it flare to pretty much every body who's interacted with that impacted individual. Along these lines, it is exceptionally difficult to stop the spread of Covid among people groups. Covid flare through drops delivered from hacking and sniffing through an impacted person. This send the infection to any individual who come circuitous in contact with individual impacted by covid-19 due to, the infection open out effectively out of the people. In the event that the public lockdowns being raised, it end up being extremely challenging to record and control the infection. Facial covering identification is a successful technique used to stop the infection among peoples. To show that individuals are following this essential security rule, a methodology should be progressed. A device will be made to check person face is cover or not. Face mask recognition strategy to check whether an individual is wearing a mask or presently not. First move to secure the existence of a covers on the face is to recognize the face, which makes the technique secluded into two sections: to track down faces and to recognize cover on the ones faces. Face distinguishing proof is one of the undertakings of thing acknowledgment and can be used in various regions like protection, biometrics, guideline execution and extra. There are number of finder frameworks developed among the area and successfully runed. yet, this science needs optimization a higher, extra exact finder, because of the reality the field cannot afford the price of any more enlargement in conduct cases.

There are no effective facial covering identification Applications to come across to check climate individual wearing veil or not. This will increase the interest for a green machine for detecting face veils on people during transportation, indensely populated locals, in residencial areas and other businesses to keep the security This adventure makes use of gadget learning type utilizing openCv and Tensorflow to hit upon facemasks on individuals.

## Literature Survey

The [1] paper gives a proficient choice to separate social removing rehearses public locales in which it is exceptionally difficult to show physically for one-of-a sort

modules have been progressed for individual location social removing acknowledgment, face identification and facial covering classification. It presents measurements expansion systems to manage the absence of dataset inside the organization.

[2] Face detection is achieved and with the help of the two marks which were announced one for tinge and the other for name, faces inside the photograph are ordered similarly as with veil or without cover. Precision rate is displayed in white shade on the highest point of the picture.

[3] This smart gadget regularly opens the entryway handiest in the event that people wear facial coverings and tell people who truly does never again wear veil. It goes about as shrewd entryway which regularly opens and shuts the entryway and it's miles fused with a cell application which transport notices to owner. The product program progressed inside the task is prepared recognizing the face with veil or without cover which distinguishes somebody is wearing facial coverings and gives us alert (through cell application). This gadget is joined with a cell application. cell application let us to understand on the off chance that somebody enters home when human beings are not real viewed as in their homegrown.

[4] In this paper, they have analyzed 4 exceptional strides of concealed face location and their general presentation. Distance from digi cam being extra trustworthy and right advance in contrast with different advances. Eye line discovery is clear to implement however it prompts counterfeit identifications in terrible choice pix as power levels aren't truly discernable. Eye discovery is dependable however it's miles obligated to counterfeit eye identification. Facial part discovery is powerful and time eating step. In certain cases, facial part recognition may not recognize face while individual is conveying veils and along these lines this is the issue of facial part location step. indeed, even as parcel of studies happens inside the field of PC creative and judicious and contraption examining, for identification of various exercises, these proposed advances will in actuality convey knowledge to a portion of the doable strategies to find in the event that character is wearing veils or presently not. To additional upgrade the precision of those means, mix of different capacities can be carried out and in general execution can be moved along.

[5] This paper offered a story and meta-insightful outline veiling all the current facemask recognition calculations, contemplating the setting of Covid- 19. The deficiencies of the current calculations had been evaluated, and the future difficulties were laid out. albeit an extensive amount of examinations has been designated on growing a green facemask recognition set of rules, they exceptionally centered around the indistinguishable arrangement of difficulties disregarding a few different critical issues. This paper featured those deficiencies, which incorporates, holding picture-choice all through discovery process, lack of well off dataset, express groupings, and others.

## **Methodology**


In this project we are using the python program language among with OpenCV, Keras, Tensorflow, DL, ML, CV and library of python. The dataset which we are using in this project contains 1376 pictures in which 690 pictures peoples are having masks with them and 686 people are without the mask. We will train the dummy using OpenCv, Keras (python library) later the dummy being instruct, we will able to detect of facemask on proples faces. Facemask detection is done by

detecting pre-processing picture and can also find via live video. On condition that if persons wear mask, it will give permissions to them, and if not wearing mask then it will give the ring to wear mask to prevent them from virus transfer.

The prepared form is stacked and picture which incorporates human appearances regardless of veil or a relentless video stream with individuals is given as enter. The photograph or a body of the video, in the event that the info is a video move, is first shipped off the default face indicator module for the identification of human appearances. that is performed through resizing the photograph or the video body first, saw through distinguishing the mass in it. This distinguished mass is shipped off the face identifier adaptation which yields best the edited essence of an individual without the foundation. This face is given in light of the fact that the enter to the model which we skilled ahead of time. This results climate there is a veil or not.

By protecting a sensible extent of various classes, the dataset will parcel into training and testing set. The dataset will involves 1376 examples in complete where 80% will be utilized in preparing stage and 20% will get utilized in testing stage. The develop design will prepared for 10 ages since future training result will cause over fitting on the training information. Over fitting by and large happens when a model learns the undesirable example of the preparation tests. Subsequently, training accuracy increases but test accuracy decreases. When the individuals not wearing the mask a boundary contain box pop over the face of the individuals state either the individual is carrying a mask or not. If a individuals face is kept in the account, it find the name of the individuals who is not having face mask on. It detects multiple faces also in single frames.

## System Architecture



## Module description

### Python

Python's effortlessness, connected with its effectively comprehensible code, gives software engineers trust in the activities they work on. It's steady, adaptable, and gives designers admittance to an assortment of apparatuses that make their positions simpler. AI projects depend on complex calculations, pretty much ruling out mistake.

## **OpenCV**

OpenCV is an incredible instrument for picture handling and performing PC vision undertakings. An oss library could be utilized to execute assignments such as face identification, complaint following, milestone location, and significantly more. It upholds different dialects including python, java C++.OpenCV gives a constant enhanced Computer Vision library, devices, and equipment. It likewise upholds model execution for Machine Learning (ML).

## **Tensorflow**

TensorFlow is a beginning to end open source stage for AI. It is an open source mechanized thinking library, using data stream outlines to manufacture models. It licenses specialists to make tremendous extension mind networks with many layers. It is generally used for: Classification, Approach, Knowledge, Finding, Guessing and Formulation.

## **Dataset**

Information collection is the most widely recognized method of get-together and assessing information from boundless different sources. To use the data we assemble to cultivate utilitarian man-made intellectual prowess (AI) and AI plans, it should be accumulated and taken care of with the end goal that has all the earmarks of being genuine for the business primary concern.

## **Train a model to catch face masks**

We will fabricate a continuous framework to identify regardless of either individual on the internet camera is having a mask on or not. We will prepare the facial covering finder dummy utilizing Keras and Open Source Computer vision library.


## **Numpy,CV2**

OpenCV is a generally used open-source library for PC vision. It incorporates a few prepared to utilize PC vision calculations. Python is turning into the standard programming language for AI and NumPy. gives information structures used to convey OpenCV with Python.


## **Implementation & Result**

The work proposed in the framework centers around the significant test looked by the world during the present situations because of the continuous COVID-19 pandemic. The proposed research work has effectively consolidated the facial covering location model with the individual ID model, which is additionally have the option to send letters warnings to the enlisted individuals among the foundation on that one not having a mask on. Additionally, the exploration tasks has effectively distinguished various individuals without not having a mask or with a cover in a solitary edge of visual. This insight on innovation centers around the confounded work of distinguishing various individuals immediately to

guarantee that individuals stay protected in these paired times by guaranteeing that they observe the rules which are given by the public authority.



If individual will not having mask on the face then red box drawn and if they wear then green box drawn.



It detects multiple faces also in a single frame.



## Conclusion

With the developing amount of COVID cases by and large around the worldwide, a machine to refresh people to check covers on the essences of people is altogether cared about. This framework fulfills that need. This machine might be utilized in broad daylight places like rail route stations and division shops. it will be of a first class help in partnerships and huge foundations where there will be many specialists. This device might be of an excellent guidance there as it is not difficult to achieve and save the details of the staff in work in that association and would exceptionally clean detect the individuals that are presently not having the mask

on the face and will send a mail would shipped off that particular man or lady to avoid potential risk not wearing mask, assuming there information previously put away in framework.

## Reference

1. WuttichaiVijitkunsawat, PeerasakChantngramon” Machine Learning Algorithms for Face Mask Detection” doi:10.1109/InCIT5058.2020.9310963
2. SusantoFebri ,Alwan Putra ,Riska Analia, IkaKarlina Laila Nur Suciningtyas” Face Mask Detection For Preventing the Spread of COVID-19”doi: 10.1109/ESCI50559.2021.9396783
3. Wei Bu\*†, Jiangjian Xiao†, Chuanhong Zhou\*, Minmin Yang‡, Chengbin Peng‡DOI:10.1109/TSP52935.2021.9522677
4. Sahana Srinivasan ,Rujula Singh R ,Ruchita R Biradar,Revathi“Face Mask Detection on Surveillance video datasets” DOI:10.1109/ICCIS.2017.8274819
5. Ravi Kishore Kodali and Rekha Dhanekula”FACE MASK DETECTION USING DEEP LEARNING” doi:10.1109/ESCI50559.2021.9396783
6. Baluprithviraj.K.N,Bharathi.K.R,Chendhuran. S” Artificial Intelligence based Smart Door with FaceMask Detection”
7. Gayatri Deore, Ramakrishna Bodhula,Dr.Vishwas Udpikar, Prof. Vidya More” Masked Face Detection Approach in Video Analytics”Doi: 10.1109/CASP.2016.7746164
8. Ian Goodfellow, YoshuaBengio, and Aaron Courville, “Deep Learning” MIT Press, 2017
9. Andrew G. Howard, Menglong Zhu, Bo Chen and Dmitry Kalenichenko,”MobileNets: Efficient Convolution Neural Networks for Mobile Vision Application”, Computer Vision and Pattern Recognition, 2017
10. World Health Organization (WHO) “WHO Coronavirus Disease (COVID-19) Dashboard”<https://covid19.who.int/>, [Online; accessed 13 Jan 2021].